

# MATERIAL SAFETY DATA SHEET

Ferrous Ammonium Sulfate 1 ml = 100 ug Cl as Cl2

## SECTION 1 . Product and Company Identification

Product Name and Synonym: Ferrous Ammonium Sulfate 1 ml = 100 ug Cl as Cl2

Product Code: 3830

Material Uses:

Manufacturer:

Science Stuff  
1104 Newport Ave

Austin, TX 78753  
(512) 837-6020

Entry Date : 6/4/2013

Print Date: 6/4/2013

24 Hour Emergency Assistance : Chemtrec 800-424-9300  
Canutec 613-996-6666

Health:	1			
Flammability:	0			
Reactivity:	0			
Hazard Rating:				
Least	Slight	Moderate	High	Extreme
0	1	2	3	4
NA=Not Applicable		NE=Not Established		

## SECTION 2 HAZARD IDENTIFICATION

May be harmful if swallowed. May cause irritation. Avoid breathing vapors, or dusts. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

## SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input type="checkbox"/>	Ferrous Ammonium Sulfate	CAS# 7783-85-9	0.11%	W/V	None Established
<input checked="" type="checkbox"/>	Sulfuric Acid	CAS# 7664-93-9	<0.1%	V/V	OSHA TWA 1 mg/mf, ACGIH STEL 3 ppm
<input type="checkbox"/>	Water, Deionized ASTM Type II	CAS# 7732-18-5	Balance	V/V	None Established

## SECTION 4 FIRST AID MEASURES

May be harmful if swallowed. May cause irritation. Avoid breathing vapors, or dusts. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

FIRST AID: SKIN: Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

## SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type: Any means suitable for extinguishing surrounding fire

Ferrous Ammonium Sulfate 1 ml = 100 ug Cl as Cl2

Fire / Explosion Hazards: None Known.  
Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Absorb spill with inert material, then place in a chemical waste container. Neutralize with a weak acid.

**SECTION 7 HANDLING AND STORAGE**

Store in a cool dry place. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Respiratory Protection: None required  
Ventilation  
Local Exhaust   
Mechanical   
Protective Gloves: Gloves to prevent skin exposure as rubber or vinyl  
Eye Protection: Splash Goggles  
Other Protective Equipment: Wear appropriate clothing to prevent skin exposure

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Melting Point:	~0°C	Percent Volatile by Volume:	>98
Boiling Point:	~100°C	Evaporation Rate	Information not available
Vapor Pressure:	Information not available	Evaporation Standard	
Vapor Density:	Information not available	Auto Ignition Temp	Information not available
Solubility in Water:	Soluble	Lower Flamm. Limit in Air	Information not available
Appearance /Odors:	Clear to pale blue odorless liquid	Upper Flamm. Limit in Air	Information not available
Flash Point:	Not flammable		
Specific Gravity:	~1.0		

**SECTION 10 STABILITY AND REACTIVITY INFORMATION**

Stability: Stable  
Conditions to Avoid: Temperature extremes  
Materials to Avoid: Strong bases  
Hazardous Decomposition Products: Oxides of sulfur, iron oxides  
Hazardous polymerization: none known

Ferrous Ammonium Sulfate 1 ml = 100 ug Cl as Cl2

Conditions to Avoid: None known

**SECTION 11 Toxicological Information**

**SECTION 12 Ecological Information**

**SECTION 13 Disposal Considerations**

**SECTION 14 Transport Information**

DOT Classification: Not Regulated

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

**SECTION 15 Regulatory Information**

**SECTION 16 Additional Information**

Conditions aggravated/target organs: Persons with pre-existing skin, respiratory and eye disorders are more susceptible. Corrosive! Acute: May cause irritation and burns to skin, eyes, lungs, and GI tract. Chronic: Dermatitis, eye damage.

Flammability

Health

Reactivity

Revisions

NFPA

0.2

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.