

# MATERIAL SAFETY DATA SHEET

Nickel Sulfate

## SECTION 1 . Product and Company Identification

Product Name and Synonym: Nickel Sulfate  
Product Code: N3566  
Material Uses:  
Manufacturer: Science Stuff  
1104 Newport Ave  
Austin, TX 78753  
(512) 837-6020  
Entry Date : 6/12/2013  
Print Date: 6/12/2013  
24 Hour Emergency Assistance : Chemtrec 800-424-9300  
Canutec 613-996-6666

Health:	3
Flammability:	0
Reactivity:	0

Hazard Rating:  
Least Slight Moderate High Extreme  
0 1 2 3 4  
NA=Not Applicable NE=Not Established

## SECTION 2 HAZARD IDENTIFICATION

May be fatal if inhaled, swallowed or absorbed thru the skin Avoid all contact. Use with adequate ventilation. Wash thoroughly after use. Keep container closed.

Physical state: Solid. [Crystals]  
OSHA/HCS status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview:

WARNING!  
CANCER HAZARD – CAN CAUSE CANCER  
CAUSES RESPIRATORY TRACT, EYE AND SKIN  
IRRITATION.  
MAY BE HARMFUL IF INHALED  
HARMFUL IF SWALLOWED.  
MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS:  
LUNGS, SKIN, NOSE, SINUSES.

Toxic to aquatic organisms, may cause long-term adverse effect in the aquatic environment.

WARNING: this product contains a chemical known to the State of California to cause cancer.

Do not ingest. Avoid contact with eyes, skin or clothing.  
Keep container tightly closed and sealed until ready for use. Use only with adequate ventilation. Wash thoroughly after handling.

Routes of entry:  
Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects:

Eyes: Irritating to eyes.  
Skin: Irritating to skin.  
Inhalation: Irritating to respiratory system. May be harmful if inhaled.  
Ingestion: Toxic if swallowed.  
Carcinogenicity: Can cause cancer. Risk of cancer depends on duration and level of exposure.  
Mutagenicity: No known significant effects or critical hazards.  
Teratogenicity/ Reproductive toxicity: No known significant effects or critical hazards.  
Developmental effects: No known significant effects or critical hazards.  
Fertility effects: No known significant effects or critical hazards.

## Nickel Sulfate

Target organs: May cause damage to the following organs: lungs, skin, nose/sinuses.  
Medical conditions aggravated by over-exposure:  
Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product

### SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input type="checkbox"/>	Nickel Sulfate	CAS# 10101-97-0	100%	W/W	OSHA TWA 1 mg(Ni)/mf

### SECTION 4 FIRST AID MEASURES

May be fatal if inhaled, swallowed or absorbed thru the skin Avoid all contact. Use with adequate ventilation. Wash thoroughly after use. Keep container closed.

FIRST AID: CALL A PHYSICIAN. SKIN: Remove contaminated clothing. Wash exposed area with soap and water.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

### SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type:	Any means suitable for extinguishing surrounding fire
Fire / Explosion Hazards:	emits toxic fumes under fire conditions
Fire Fighting Procedure:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

Wear Protective equipment. Sweep up, place in a bag and hold for waste disposal.

Personal precautions: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personal from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

### SECTION 7 HANDLING AND STORAGE

Store in a cool, dry, well-ventilated place away from incompatible materials. Wash thoroughly after handling.

Nickel Sulfate

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Respiratory Protection: NIOSH/MSHA-approved respirator

Ventilation

Local Exhaust

Mechanical

Protective Gloves: Solvent resistant gloves as neoprene or nitrile

Eye Protection: Splash Goggles

Other Protective Equipment: Wear appropriate clothing to prevent skin exposure

Nicklous Sulfate, Hexahydrate

NIOSH REL (United States, 6/2008)

TWA: 0.015 mg/m<sup>3</sup>, (as Ni) 10 hour(s)

OSHA PEL (United States, 11/2006)

TWA: 1 mg/m<sup>3</sup>, (as Ni) 8 hour(s)

OSHA PEL 1989 (United States, 3/1989)

TWA: 0.1 mg/m<sup>3</sup>, (as Ni) 8 hour(s) Form: Soluble

ACGIH TLV (United States, 1/2008)

TWA: 0.1 mg/m<sup>3</sup>, (as Ni) 8 hour(s) Form: Soluble

Consult local authorities for acceptable exposure limits.

Engineering measures: Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal Protection

Eyes: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Recommended:

safety glasses with side-shields,

Skin: Personal protective equipment for the body should be selected based on the task being performed and risks involved and should be approved by a specialist before handling this product.

Body recommended:

lab coat and gloves

Respiratory: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls: Emissions from ventilation or work

Nickel Sulfate

process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Melting Point:	840°C	Percent Volatile by Volume:	information not available
Boiling Point:	Information not available	Evaporation Rate	not applicable
Vapor Pressure:	not applicable	Evaporation Standard	Not Applicable
Vapor Density:	not applicable	Auto Ignition Temp	Not applicable
Solubility in Water:	information not available	Lower Flamm. Limit in Air	Not applicable
Appearance /Odors:	blue green crystals	Upper Flamm. Limit in Air	Not applicable
Flash Point:	information not available		
Specific Gravity:	2.070		

**SECTION 10 STABILITY AND REACTIVITY INFORMATION**

Stability:	Stable
Conditions to Avoid:	Avoid contact with heat, sparks, flames, or other sources of ignition.
Materials to Avoid:	Strong oxidizing agents,
Hazardous Decomposition Products:	sulfur oxides and nickel oxides
Hazardous polymerization:	Will Not Occur
Conditions to Avoid:	None known

**SECTION 11 Toxicological Information**

Nickelous Sulfate, Hexahydrate

LD50 Oral Rat 264 mg/kg  
TDLo Intratracheal Rat 2.6 mg/kg

Carcinogenic effects: Can cause cancer. Risk of cancer depends on duration and level of exposure.

Mutagenic effects: No known significant effects or critical hazards

Teratogenicity/Reproductive toxicity: No known significant effects or critical hazards

**SECTION 12 Ecological Information**

Environmental effects : No known significant effects or critical hazards.

Other adverse effects : No known significant effects or critical hazards.

**SECTION 13 Disposal Considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

**SECTION 14 Transport Information**

Nickel Sulfate

DOT Classification: Not Regulated

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

**SECTION 15 Regulatory Information**

United States

HCS Classification:  
Toxic material  
Target organ effects  
Irritating material  
Carcinogen

U.S. Federal regulations:

United States inventory (TSCA 8b): listed  
TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.  
SARA 302/304/311/312 extremely hazardous substances: No products were found.  
SARA 302/304 emergency planning and notifications: No products were found.  
SARA 302/304/311/312 hazardous chemicals: Nickelous Sulfate, Hexahydrate  
SARA 311/312 MSDS distribution- Chemical inventory- hazard identification: Nickelous Sulfate, Hexahydrate  
Immediate (acute) health hazard, Delayed (chronic) health hazard  
Clean Water Act (CWA) 307: Nickelous Sulfate, Hexahydrate  
Clean Water Act (CWA) 311: No products were found  
Clean Air Act (CAA) 112 accidental release prevention: No products were found.  
Clean Air Act (CAA) 112 regulated flammable substance: No products were found.  
Clean Air Act (CAA) 112 regulated toxic substance: No products were found.

DEA List I Chemicals : not listed  
(Precursor Chemicals)  
DEA List II Chemicals : not listed  
(essential Chemicals)

SARA 313  
Form R – Reporting Requirements: Nickelous Sulfate, Hexahydrate  
CAS number : 10101-97-0 Concentration : 100

Supplier notification : Nickelous Sulfate, Hexahydrate  
CAS number : 10101-97-0 Concentration : 100

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

New Jersey Hazardous Substances : This material is listed.  
Pennsylvania RTK Hazardous Substances : This material is listed.

California Prop. 65  
WARNING: this product contains a chemical known to the State of California to cause cancer.

Ingredient name: Nickelous Sulfate, Hexahydrate  
Cancer: Yes Reproductive: No No significant risk level: No Maximum acceptable dosage level: No

Canada  
WHMIS (Canada) :  
Class D-1B: Material causing immediate and serious toxic effects (Toxic)  
Class D-2A: Material causing other toxic effects (Very toxic).  
Class D-2B: Material causing other toxic effects (Toxic)

Canadian lists :  
CEPA Toxic Substance: This material is not listed.  
Canadian ARET: This material is not listed.  
Canadian NPRI: This material is listed.  
Alberta Designated Substances: This material is not listed.  
Ontario Designated Substances: This material is not listed.  
Quebec Designated Substances: This material is not listed.

Nickel Sulfate

CEPA DSL/ CEPA NDSL : CEPA DSL:  
This material is listed or exempted.  
This product has been classified in accordance with the hazard criteria of the CPR and the  
MSDS contains all the information required by the CPR.

**SECTION 16 Additional Information**

Flammability

Health

Reactivity

Revisions

NFPA

0.1

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.