

# MATERIAL SAFETY DATA SHEET

Zinc Standard 1,000 mg/L (ppm)

## SECTION 1 . Product and Company Identification

Product Name and Synonym: Zinc Standard 1,000 mg/L (ppm)

Product Code: 9950

Material Uses:

Manufacturer: Science Stuff  
1104 Newport Ave

Austin, TX 78753

(512) 837-6020

Entry Date : 7/2/2013

Print Date: 7/2/2013

24 Hour Emergency Assistance : Chemtrec 800-424-9300  
Canutec 613-996-6666

Health:	2
Flammability:	0
Reactivity:	0

Hazard Rating:  
Least Slight Moderate High Extreme  
0 1 2 3 4  
NA=Not Applicable NE=Not Established

## SECTION 2 HAZARD IDENTIFICATION

May cause irritation and burns. May be harmful if swallowed. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

## SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input checked="" type="checkbox"/>	Nitric Acid	CAS# 7697-37-2	2 - 5%	W/W	OSHA TWA 2 ppm (5mg/mf), STEL 4 ppm (10mg/mf)
<input type="checkbox"/>	Water, Deionized ASTM Type II	CAS# 7732-18-5	Balance	W/W	None Established
<input type="checkbox"/>	Zinc Nitrate	CAS# 10196-18-6	<0.5%	W/W	TXDS: orl-rat LD $\bullet$ : 1190 mg/Kg

## SECTION 4 FIRST AID MEASURES

May cause irritation and burns. May be harmful if swallowed. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

FIRST AID: SKIN: Remove contaminated clothing. Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

Zinc Standard 1,000 mg/L (ppm)

**SECTION 5 FIRE FIGHTING MEASURES**

Fire Extinguisher Type: Any means suitable for extinguishing surrounding fire

Fire / Explosion Hazards: Development of hazardous combustion gases or vapors possible in the event of a fire.

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Absorb spill with inert material, then place in a chemical waste container. Neutralize with a weak base.

**SECTION 7 HANDLING AND STORAGE**

Store in a cool dry place. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling. Store between 15 and 25°C

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Respiratory Protection: None required

Ventilation

Local Exhaust

Mechanical

Protective Gloves: Gloves to prevent skin exposure as rubber or vinyl

Eye Protection: Splash Goggles

Other Protective Equipment: Wear appropriate clothing to prevent skin exposure

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Melting Point:	~0° C	Percent Volatile by Volume:	>98%
Boiling Point:	~100° C	Evaporation Rate	Information not available
Vapor Pressure:	18.51 mm Hg	Evaporation Standard	
Vapor Density:	0.62 g/L	Auto Ignition Temp	Information not available
Solubility in Water:	Soluble	Lower Flamm. Limit in Air	Information not available
Appearance /Odors:	Clear liquid, odorless	Upper Flamm. Limit in Air	Information not available
Flash Point:	Noncombustible		
Specific Gravity:	1.02 g/cm <sup>3</sup>		

**SECTION 10 STABILITY AND REACTIVITY INFORMATION**

Stability: Stable

Conditions to Avoid: Extreme Heat

Zinc Standard 1,000 mg/L (ppm)

Materials to Avoid: Oxidizers, Reducing Agents; metals  
Hazardous Decomposition Products: Nitrogen oxides  
Hazardous polymerization: not expected to occur  
Conditions to Avoid: None known

**SECTION 11 Toxicological Information**

**SECTION 12 Ecological Information**

**SECTION 13 Disposal Considerations**

**SECTION 14 Transport Information**

DOT Classification: UN3264, Corrosive Liquids, Acidic, Inorganic, n.o.s. (Nitric Acid), 8, PG III

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

**SECTION 15 Regulatory Information**

**SECTION 16 Additional Information**

Warning! Corrosive properties. May be toxic by ingestion. If ingested, do not induce vomiting unless directed to do so by medical personnel. Contact physician or poison control center if ingested. May be harmful if inhaled or ingested. May cause gastro-intestinal disturbances and lung irritation, chest pain and edema which may be fatal. Material is extremely destructive to tissue of the eyes, mucous membranes, upper respiratory tract and skin.

Flammability

Health

Reactivity

Revisions

NFPA

1

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.